

LightStream™ WXGA Networkable 4,000-lumen Projector



PJD7526W




The ViewSonic networkable LightStream™ PJD7526W WXGA projector with a sleek black chassis, features 4,000-lumen, majestic style, intuitive design and impressive audiovisual performance. Exclusive SuperColor™ technology offers a RGBCYW colour wheel - 120% brilliant colour, for true-to-life image projection, while SonicExpert™ technology powers a 10W cube speaker to deliver incredibly clear and audible sound. PortAll™ - a neatly designed enclosed HDMI/MHL connection compartment, supports wireless HDMI dongles or MHL connectors, while a cable management hood eliminates unsightly cable clutter. With a smart design, the PJD7526W is the ideal projector in any environment with less lighting limitations.

- Exclusive SuperColor™ technology offers a RGBCYW colour wheel - 120% brilliant colour
- WXGA resolution, up to 4,000 ANSI lumens, and 22,000:1 contrast ratio
- 10W cube speaker, powered by SonicExpert™ with ported speaker chamber and a powerful amplifier
- Easy remote network management of up to 256 LightStream™ projectors
- Smart design includes PortAll™ MHL/HDMI compartment, tactile keypad, top lamp door and cable management system
- Dual 3D Blu-ray ready HDMI inputs and 2 VGA inputs
- Free virtual remote app, vRemote, for iOS/Android devices



SuperColor™ Technology: Best in Class Colour Accuracy

ViewSonic's proprietary SuperColor™ Technology offers a wider colour range than conventional DLP® projectors, ensuring that users enjoy realistic and accurate colours. With an exclusive colour wheel design and dynamic lamp control capabilities, SuperColor™ Technology projects images with reliable and true-to-life colour performance, in both bright and dark environments, without sacrificing image quality.



Normal

SuperColor™ RGBCYW Color Wheel

Bright Images: Less lighting limitations

Packed with 4,000 lumens and a high contrast ratio 22,000:1, the LightStream projector is guaranteed to produce bright images in any environment - even in rooms with high ambient light.



SonicExpert™ Technology: Clear, comfortable, and louder sound over same-class projectors

The ViewSonic's proprietary SonicExpert™ technology incorporates a 10W ported speaker chamber and a more powerful amplifier to deliver a full 20Hz - 20Khz sound range. The compact speaker takes pride in quality sound with best-fit Sound Response Curve, and high efficiency of transferring electric power to sound power.

In addition, SonicMode provides optimized audio performance for Speech, Entertainment, or Standard scenario



Network Manager: Easy central management system

All LightStream PJD6/7 projectors come equipped with Crestron RoomView Express, an easy-to-use network management system that lets administrators remotely monitor and control up to 256 LightStream projectors from a single PC.



PortAll™ : Enclosed HDMI/MHL Dongle Compartment

ViewSonic's exclusive PortAll™ feature—a hidden compartment with an integrated and secure MHL/HDMI port that lets you discretely stream multimedia content from a wireless dongle, or lets you connect to other devices via an HDMI cable.

ViewSync® WPG-300 dongle is optional



3LCD Projector Replacement

With a throw ratio ranging from 1.55 to 1.7, this projector can effectively replace typical 3LCD (or DLP) projectors with 1.5 to 1.8 throw ratio without having to move or re-install existing projector mounts.

Smart Design, Easy operation

Cable Management Hood

The seamless design gives the projector a clean look without wires and I/O ports exposed in the rear.

Top Lamp Door

An easy-access top lamp door enables simple lamp maintenance and replacement.

Tactile Keypads

The tactile keypad is raised with concave buttons that assist in making projector set up easier in dark environments.




Dual 3D Blu-ray Ready HDMI Inputs High picture quality, immersive images

Designed with two HDMI ports, this projector is perfect for connecting to any HDMI-enabled device, and can display 3D images directly from 3D Blu-ray players. 3D images can be viewed with optional ViewSonic PGD-350 Shutter Glasses, or any other compatible 3D glasses.



Flexible Setup for a Quick Startup

Horizontal and vertical keystone correction and 4 corner adjustment feature eliminate crooked and distorted images for a perfectly proportioned picture every time.



Programmable Remote Control Easy Control

To satisfy presenter's needs, this remote control contains wireless presenter functions (mouse control, page up-n-down, etc.) and hotkeys for critical, major functions.

"My Button"

Setup your favorite hotkey

Finding a function on a remote control or through the on-screen menu can be time-consuming. The "My Button" button on the remote control is a programmable shortcut button that can be user-programmed to launch a commonly used or desired function.

App - vRemote

App controller with snapshot keystone and lamp life monitor. Users can download vRemote, the virtual remote control, onto any IR or WiFi enabled smartphone. vRemote can instantly help users automatically correct keystone with a simple snapshot of the projected image. In addition, administrators can remotely view the projectors' lamp working hours and adjust keystone.



My Button



Technical Specifications

PRODUCT

SPECIFICATION

Resolution	1280(H) x 800(V)
Brightness (ANSI Lumens)	4,000 lm
Contrast (Max.)	22,000:1
Lamp Hour (Normal / SuperEco)	3,500 / 6,500 hrs
Throw Ratio in Meters (Wide ~ Tele)	1.55 ~ 1.7
Lens Shift	NA
Optical Zoom	1.1X
Digital Zoom	0.8X~2.0X

Screen Size	30" ~300"
Projection Offset	100%±5%
Display Colours	1.07 Billion Colors
Keystone	HV
Noise min (Normal / Eco)	36 dB / 31 dB
Speaker	10W Cube x 1

INPUT

CONNECTIVITY	HDMI/MHL	1
	HDMI In	1
	VGA-in	2
	Component Input	2 (Share with VGA-in)
	S-Video	1
	Composite Input	1
	Audio-in (3.5mm)	2
	Audio-in (RCA pair)	N/A
	USB Type A	N/A
	USB Type B	N/A
	Mini USB	1
	Microphone in (3.5mm)	1
	SD Card reader	N/A

OUTPUT

CONNECTIVITY	VGA-out	1
	Audio-out (3.5mm)	1

CONTROL

RS232 (9 pin)	1
Network Management (LAN cable)	1
12V Power Trigger	N/A

PC / MAC

Video/Audio Streaming	N/A
-----------------------	-----

DIMENSIONS AND POWER

Dimension (WxDxH)	316 mm(W) x 228 mm(D) x 103.7 mm(H) 12.44" (W) x 8.98 " (D) x 4.08" (H)
Net Weight	2.5 kg (5.51 lb)
Power Source	100V ~ 240V, 50/60Hz
Power Consumption	350W (Max.)

SUPPLIED

ACCESSORIES	Power cord	1
	VGA cable	1
	HDMI cable	N/A
	Remote Control (with batteries)	1
	Cable cover	Yes
	Quick Start Guide & CD	Yes
	Carry bag	N/A

LANGUAGES	On Screen Display	Total 22 languages
REGULATIONS	Standard	Mexico Energy test/Registration, TUV-S Mark(Argentina), India BIS, FCC,CE EMC,CB,CCC, ROHS, REACH, SVHC, WEEE, ErP, cTUVus, Mexico NOM, KC, PSB, CECP, RCM

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at **www.viewsoniceurope.com**

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.